Outagamie County Solid Waste Department 1419 Holland Road Appleton, WI 54911-8985 (920) 832-1521 Fax: (920) 788-4130

Application Number

THERE IS A \$250 REVIEW FEE FOR SPECIAL WASTE APPLICATIONS

Brown/Outagamie County Landfills Special Waste Disposal Application Brown County Port & Resource Recovery 2561 S Broadway Green Bay, WI 54304 (920) 492-4950

Application Number

A. Generator Information

Firm Name
Contact Person
Phone Number
Site Address (where material is generated)

B. Billing Information

Firm Name				
Address				
City, State, Zip				
Phone				

Contact Person

C. Consultant Information

Firm Name		
Firm Address		
Contact Person		
Phone Number		
FAX Number		

D. Hauler Information

Firm Name______
Firm Address______

Contact Person	
Phone Number	
FAX Number	

Instructions

For Category A, B, and C Wastes: Complete Section I

For Category D Wastes: Complete Section II

For Category E Wastes: Compete Section III

For Category F Wastes: See Section IV

E. Waste Information

*For all waste types, attach available pertinent documents, MSDSs, technical bulletins, etc. List attachments here:

F. Generator Warranty

The generator warrants, represents, and certifies that this waste is not hazardous waste as specified by NR600 or 40CFR261, that his material does not contain more than 50 ppm of PCB materials, and that this information is representative of the waste.

Generator's Signature

Title

Outagamie County Drown County

Section I – Outagamie County Only

For Category A, B¹, and C¹ Wastes, complete the following and attach laboratory report:

Analytical Information

Parameter	Acceptance Level (mg/L) ³	Lab Result
% Solids	\geq 40% (A&B)	
	$\geq 20\%$ (C)	
% Free Liquids (paint	0%	
filter test)		
Flash Point	> 140°F	
рН	$2.0 \le pH \le 12.5$	
Total available sulfide	<500 mg/kg	
Total available cyanide	<250 mg/kg	
Arsenic	< 5.0	
Barium	< 100.0	
Cadmium	< 1.0	
Chromium	< 5.0	
Lead	< 5.0	
Mercury	< 0.2	
Selenium	< 1.0	
Silver	< 5.0	
% Chloride	< 1%	
Phenol	< 2000	
Benzene	< 0.5	
Carbon tetrachloride	< 0.5	
Chlorobenzene	< 100.0	
Chloroform	< 6.0	
Cresol	< 200.0	
1,4-Dichlorobenzene	< 7.5	
1,2-Dichloroethane	< 0.5	
1,1-Dichloroethylene	< 0.7	
2,4-Dinitrotoluene	< 0.3	
Hexachlorobenzene	< 0.13	
Hexachlorobutadiene	< 0.5	
Hexachloroethane	< 3.0	
Methyl ethyl ketone	< 200.0	
Nitrobenzene	< 2.0	
Pentachlorophenol	< 100.0	
Pyridine	< 5.0	
Tetrachloroethylene	< 0.7	
Trichloroethylene	< 0.5	
2,4,5-Trichlorophenol	< 400.0	
2,4,6-Trichlorophenol	< 2.0	
Vinyl Chloride	< 0.2	

¹For Category B and C wastes, complete the following and attach laboratory report: PCB (Arochlor 1016, 1221, 1232, 1242, 1248, 1254, 1260)

Section I – Brown County Only

For Category A, B^1 , and C^1 Wastes, complete the following and attach laboratory report:

Analytical Information

Parameter ²	Acceptance Level (mg/L <mark>)³</mark>	Lab Result
% Solids	$\geq 40\%$ (A&B)	
	$\geq 20\%$ (C)	
% Free Liquids (paint	0%	
filter test)		
Flash Point	$> 140^{\circ}F$	
pН	$2 \leq pH \leq 12.5$	
Total available sulfide	<500 mg/kg	
Total available cyanide	<250 mg/kg	
Arsenic	< 5.0	
Barium	< 100.0	
Cadmium	< 1.0	
Chromium	< 5.0	
Lead	< 5.0	
Mercury	< 0.2	
Selenium	< 1.0	
Silver	< 5.0	
Copper	See note ⁴	
Nickel	See note ⁴	
Zinc	See note ⁴	
Ammonia	See note ⁴	
TKN	See note ⁴	
Benzene	< 0.5	
Carbon tetrachloride	< 0.5	
Chlorobenzene	< 100.0	
Chloroform	< 6.0	
Cresol	< 200.0	
1,4-Dichlorobenzene	< 7.5	
1,2-Dichloroethane	< 0.5	
1,1-Dichloroethylene	< 0.7	
2,4-Dinitrotoluene	< 0.3	
Hexachlorobenzene	< 0.13	
Hexachlorobutadiene	< 0.5	
Hexachloroethane	< 3.0	
Methyl ethyl ketone	< 200.0	
Nitrobenzene	< 2.0	
Pentachlorophenol	< 100.0	
Pyridine	< 5.0	
Tetrachloroethylene	< 0.7	
Trichloroethylene	< 0.5	
2,4,5-Trichlorophenol	< 400.0	
2,4,6-Trichlorophenol	< 2.0	
Vinyl Chloride	< 0.2	

¹For Category B and C wastes, complete and attached laboratory report: PCB (Arochlor 1216, 1221, 1232, 1242, 1249, 1254, 1260) ²For contaminated soils, provide totals analysis as well as TCLP analysis

Section II- Both Landfills

For Category D Wastes, complete the following and attach laboratory report:

Analytical Information

	Parameter	Acceptance Level	Lab Result	
a.	All Soils			
	Lead	Total <100 mg/kg		
		or TCLP <5 mg/L		
b.	Gasoline or			
Die	esel			
	(analyze all parameters in a., plus the following):			
	DRO	<2000 ppm		
or	GRO	<2000 ppm		
	Benzene	Total <10 mg/kg		
		Or TCLP < 0.5		
		mg/L		
c.	Waste Oil or Unknown Petroleum Waste			
	(analyze all parameters in a., plus the following):			
	DRO	<2000 ppm		
or	GRO	<2000 ppm		
	Cadmium	Total <20 mg/kg		
		Or TCLP <1 mg/L		

Section III – Outagamie County Only

For Category E Wastes, complete the following and attach laboratory report:

Analytical Information

Parameter	Acceptance Level (mg/L) ³	Lab Result
pН	$2.0 \le pH \le 12.5$	
% Solids	≥20%	
% Free Liquids	0%	
TCLP metals		
Arsenic	< 5.0	
Barium	< 100.0	
Cadmium	< 1.0	
Chromium	< 5.0	
Lead	< 5.0	
Mercury	< 0.2	
Selenium	< 1.0	
Silver	< 5.0	
Total available sulfide	< 500 mg/kg	

Section III – Brown County Only

For Category E Wastes, complete the following and attach laboratory report:

Analytical Information

Parameter	Acceptance Level (mg/L) ³	Lab Result
pН	$2 \le pH \le 12.5$	
% Solids	≥ 20%	
% Free liquids	0%	
TCLP metals		
Arsenic	< 5.0	
Barium	< 100.0	
Cadmium	< 1.0	
Chromium	< 5.0	
Lead	< 5.0	
Mercury	< 0.2	
Selenium	< 1.0	
Silver	See note ⁴	
Copper	See note ⁴	
Nickel	See note ⁴	
Zinc	See note ⁴	
Ammonia	See note ⁴	
TKN	See note ⁴	
Total available sulfide	< 500 mg/kg	

Section IV

For Category F Wastes, include the following information and attach MSDS(s), technical bulletin(s), or other pertinent information regarding the waste stream. Indicate the waste type, the source of the waste stream, the reason for disposal, the physical state of the material, and describe the process from which the waste was generated.

Notes:

³Acceptance Levels are based on Toxicity Characteristic Leaching Procedure (TCLP), unless otherwise noted. Total analysis is also acceptable if the result is <20 times the TCLP Acceptance Level.

⁴The acceptance criteria will be determined on a case-bycase basis depending on the constituent levels and proposed amounts to be disposed.